



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/672,293	09/27/2000	Bernd Sostawa	Westphal.5761	6844	
7	7590 07/12/2004			EXAMINER	
Patrick J O'Shea Samuel Gauthier & Stevens LLP 225 Franklin Street Suite 3300 Boston, MA 02110			PHILIPPE, GIMS S		
			ART UNIT	PAPER NUMBER	
			2613		
			DATE MAILED: 07/12/2004	9 .	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
•	09/672,293	SOSTAWA ET AL.			
Office Action Summary	Examiner	Art Unit			
	Gims S Philippe	2613			
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	ith the correspondence address			
A SHORTENED STATUTORY PERIOD FOR RETHE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFI after SIX (6) MONTHS from the mailing date of this communication - If the period for reply specified above is less than thirty (30) days, and if NO period for reply specified above, the maximum statutory period for reply within the set or extended period for reply will, by significant part of the period for reply will, by significant part of the period for reply will, by significant part of the period patent term adjustment. See 37 CFR 1.704(b).	ON. R 1.136(a). In no event, however, may a n. a reply within the statutory minimum of thir eriod will apply and will expire SIX (6) MON tatute, cause the application to become Al	reply be timely filed ty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on 2	28 April 2004				
·— ·	This action is non-final.				
3) Since this application is in condition for allo		ters, prosecution as to the merits is			
,—	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims					
4) ☐ Claim(s) 1-10 is/are pending in the applicate 4a) Of the above claim(s) is/are with 5) ☐ Claim(s) 1-10 is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction are	drawn from consideration.				
Application Papers					
9)☐ The specification is objected to by the Exan	niner.				
10) The drawing(s) filed on is/are: a)	accepted or b)☐ objected to	by the Examiner.			
Applicant may not request that any objection to	the drawing(s) be held in abeyar	nce. See 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the contain. The oath or declaration is objected to by the	•				
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for fore a) All b) Some * c) None of: 1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the priority docum application from the International Bu * See the attached detailed Office action for a	nents have been received. nents have been received in A priority documents have been reau (PCT Rule 17.2(a)).	application No received in this National Stage			
Attachment(s)					
1) Notice of References Cited (PTO-892)		Summary (PTO-413)			
 Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB Paper No(s)/Mail Date 8. 		s)/Mail Date nformal Patent Application (PTO-152) 			

Page 2

DETAILED ACTION

Receipt is acknowledged of a request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e) and a submission, filed on April 28, 2004. The submission, however, is not fully responsive to the prior Office action because an actual amendment to the drawings was not submitted along with the request. Since the submission appears to be a bona fide attempt to provide a complete reply to the prior Office action, applicant is given a shortened statutory period of Three months from the mailing date of this letter, whichever is longer, to submit a complete reply. This shortened statutory period for reply supersedes the time period set in the prior Office action. This time period may be extended pursuant to 37 CFR 1.136(a).

Specification

1. The following guidelines illustrate the preferred layout and content for patent applications. These guidelines are suggested for the applicant's use.

Arrangement of the Specification

The following order or arrangement is preferred in framing the specification and, except for the reference to "Microfiche Appendix" and the drawings, each of the lettered items should appear in upper case, without underlining or bold type, as section headings. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- Title of the Invention. (a)
- (b) Cross-References to Related Applications. ©Statement Regarding Federally Sponsored Research or Development.
- Reference to a "Microfiche Appendix" (see 37 CFR 1.96). (d)

Application/Control Number: 09/672,293

Art Unit: 2613

- (e) Background of the Invention.
 - Field of the Invention.
 - 2. Description of the Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (f) Brief Summary of the Invention.
- (g) Brief Description of the Several Views of the Drawing(s).
- (h) Detailed Description of the Invention.
- (I) Claim or Claims (commencing on a separate sheet).
- (j) Abstract of the Disclosure (commencing on a separate sheet).
- (k) Drawings.
- (I) Sequence Listing (see 37 CFR 1.821-1.825).

Drawings

The drawings are not labeled in the English alphabet. The Examiner must be able to confirm that all the elements described in the detailed Specification are included in the drawings. In addition, some of the drawings are not functionally labeled. For example, box 52 of fig. 4 should include the function of such item just like item 13 of the same figure (fig. 4). The applicant should also review all the figures of the drawings for the same type of correction.

Claims

While it appears that the claims are properly written, the applicant is urged to review the claims in order to expedite the prosecution. Note that the numeral reference made to the drawings in the claims is not necessary.

2. Claims 1-10 would be allowable if rewritten or amended to overcome the objections raised in the examination of the present application.

Art Unit: 2613

Conclusion

4. This application is in condition for allowance except for the following formal matters:

The drawings must be corrected as noted above.

This application is in condition for allowance except for the following formal matters:

The correction to the drawings must be submitted.

Prosecution on the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **THREE**MONTHS from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gims S Philippe whose telephone number is (703) 305-1107. The examiner can normally be reached on M-F (9:30-7:00) Second Monday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris S Kelley can be reached on (703) 305-4780. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/672,293

Art Unit: 2613

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Gims S Philippe Primary Examiner Art Unit 2613

GSP

July 7, 2004